

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S151	557	713/501.ccls. and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/05/04 15:57
S150	651	713/193.ccls. and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/05/04 15:46
S149	261	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/05/04 15:45
S148	499	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/05/04 15:42
S147	19	S146 and @ad< "20001220"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 15:29
S146	63	((multiple) near (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)) and (clock\$3 with speed\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 15:28
S145	71790	(multiple) near (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4) (clock\$3 with speed\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 15:28
S144	1865	(multiple) near (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 15:28
S143	10141	(multiple) with (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 15:27
S142	79	S141 and @ad< "20001220"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:24
S141	324	((pattern\$1 or algorithm\$1) with (select\$4 or choos\$4 or chos\$4 or determin\$4)) and ((address\$2) with (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)) and (clock\$3 with speed\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:23

/MTH/

S140	543	((pattern\$1 or algorithm \$1) with (select\$4 or choos \$4 or chos\$4 or determin \$4)) same (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4) and (clock\$3 with speed\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:19
S139	7023	((pattern\$1 or algorithm \$1) with (select\$4 or choos \$4 or chos\$4 or determin \$4)) same (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:18
S138	4653	((pattern\$1 or algorithm \$1) with (select\$4 or choos \$4 or chos\$4)) same (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:17
S137	12	S136 not S131	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:11
S136	56	((pattern\$1 or algorithm \$1) with (cascad\$4)) same (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 14:11
S135	12	((cascad\$4 with algorithm \$1) same clock\$4) and (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 13:55
S134	1	(cascad\$4 with algorithm \$1 with clock\$4) and (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 13:27
S133	74	S132 and clock\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 13:27
S132	129	(cascad\$4 with algorithm \$1) and (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 13:26
S131	44	(cascad\$4 with algorithm \$1) same (encrypt\$4 or scrambl\$4 or encipher\$4 or cipher\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/05/04 12:15
S130	556	713/501.ccls. and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 13:18
S129	646	713/193.ccls. and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 13:05

/MTH/

S128	245	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 13:03
S127	463	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/01/22 12:59
S126	2	(alter\$4 or chang\$4) with (encrypt\$4 or encipher\$4 or cipher\$4) adj (pattern \$1 or algorithm\$1) with (clock\$)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:37
S125	0	(alter\$4 or chang\$4) with (encrypt\$4 or encipher\$4 or cipher\$4) adj (pattern \$1 or algorithm\$1) with (clock\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:37
S124	744	(alter\$4 or chang\$4) with (encrypt\$4 or encipher\$4 or cipher\$4) adj (pattern \$1 or algorithm\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:36
S123	225	S122 and (clock\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:13
S122	759	S121 and @ad< "20001220"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:13
S121	1704	380/28.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/01/22 10:12
S120	2	"6226237".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/02/26 13:45
S119	1	power\$4 with (re\$1cipher \$3) and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 11:26
S118	24	power\$4 with (re\$1encrypt \$4 or re\$1scrambl\$4 or re \$1encod\$4) and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 11:22
S117	102	power\$4 with (re\$1encrypt \$4 or re\$1scrambl\$4 or re \$1encod\$4)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 11:15
S116	444	power\$4 same (re \$1encrypt\$4 or re \$1scrambl\$4 or re\$1encod \$4)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 11:15

/MTH/

S115	62	initialization same (re \$1encrypt\$4 or re \$1scrambl\$4 or re\$1encod \$4)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 11:02
S114	0	initialization with power\$3 same (re\$1encrypt\$4 or re \$1scrambl\$4 or re\$1encod \$4)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 11:01
S113	24	initialization adj operation with cpu with power	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 10:25
S112	148	initialization adj operation with cpu	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 10:25
S111	626	713/193.ccls. and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 09:52
S110	210	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 09:50
S109	377	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/02/26 09:09
S108	24	encryption with select\$4 near software	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 12:16
S107	126	encryption with select\$4 near select\$4	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 12:16
S106	1	"20020029345"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 12:14
S105	33	internal adj bus with extend\$4 with external\$2	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 12:13
S104	598	713/193.ccls. and @ad< "20001221"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 11:54
S103	1822	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 11:54
S102	180	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 11:46
S101	316	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/06/04 11:36
S100	2	"20020078386"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/04/05 11:03

/MTH/

S99	33	internal adj bus with extend\$4 with externa\$2	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/11/22 13:10
S98	1571	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/11/22 13:10
S97	169	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/11/22 12:51
S96	291	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/11/22 12:46
S95	150	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/16 13:56
S94	1361	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/16 13:28
S93	261	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/16 13:22
S92	211	kawasaki-yusuke.in. or sakurai-hiroshi.in. or hashimoto-shigeru.in. or yamamoto-koken.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/16 11:38
S91	209	kawasaki-yusuke.in. or sakurai-hiroshi.in. or hashimoto-shigeru.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/16 11:38
S90	146	kawasaki-yusuke.in. or sakurai-hiroshi.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/16 11:38
S89	21	kawasaki-yusuke.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/16 11:38
S88	4	only adj (encrypts or encrypting) with necessary	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:26
S87	29	only adj (encrypts or encrypting) adj2 data	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:26
S86	262	only adj encrypt\$4 adj2 data	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:25

/MTH/

S85	27	encrypt\$4 with only with private adj data	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:20
S84	41	encrypt\$4 with only with secret adj data	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:19
S83	332	encrypt\$4 with only with secret with data	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:17
S82	2	won\$1t with encrypt	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:17
S80	43	encrypt\$4 with (storage or memory) with address\$2 with data with bus\$2	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 15:30
S79	424	encrypt\$4 with (storage or memory) with address\$2 with data	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 15:30
S78	163	encrypt\$4 with storage with address\$2 with data	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 15:30
S77	2	encrypt\$4 with external with storage with address \$2 with data	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 15:30
S76	1	encrypted with external with storage with address \$2 with data	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 15:28
S75	139	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 14:35
S74	1203	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 13:52
S73	227	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 13:41
S72	269	S71 not S70	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:49
S71	310	bus with connect with internal with external	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:49

/MTH/

S70	41	bus with connect with processor with internal with external	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:49
S69	109	encrypt\$4 with only with certain with data	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:45
S68	2	"20020029345"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:59
S67	1	"20020029345"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/04/21 09:05
S66	117	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/04/21 09:05
S65	190	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/04/21 08:44
S64	995	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/04/21 08:43
S63	29	713/193.ccls. and address adj (encod\$3 or encrypt\$3 or cipher\$3 or encipher\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/04/21 08:43
S57	99	713/191.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 15:26
S56	159	713/190.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 15:26
S55	768	713/193.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 15:23
S54	71	clock near1 modulat\$4 and cpu adj clock	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 12:21
S53	1574	clock near1 modulat\$4	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 12:21
S52	1	("5615262").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 12:20
S51	5	("4573119" "5081675" "5081765" "5488661" "5515540").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/08 12:09
S50	118	encryptor and idle	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:41

S49	6	idle near output same random	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:40
S48	254	idle near output and random	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:39
S47	770	idle near output	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:39
S46	39	dummy adj output and secur\$4	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:32
S45	288	dummy adj output	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:30
S44	14	power\$1up same (memory adj initialization)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 16:30
S43	49	(random adj address) and (random adj data)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 15:54
S42	558	(random adj address) and (random data)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 15:33
S41	39	memory adj access same idle adj state same output	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 15:33
S40	32	(dummy adj address) and (dummy adj data)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 15:30
S39	32	dummy adj address and dummy adj data	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 15:23
S38	3	encrypt\$ near (clock adj rate)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 15:23
S37	693	complex\$3 same (clock adj rate)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:59
S36	19	sub\$1circuit adj clock	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:58
S35	74	clock near doubl\$3 same cpu	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:56
S34	255	clock near doubl\$3 and cpu	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:45

/MTH/

S33	915	clock near doubl\$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:44
S32	21	((encrypt\$4 or encod\$4) near (clock\$3)) and (cpu near clock\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:44
S31	1449	((encrypt\$4 or encod\$4) near (clock\$3))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:37
S30	4	((encrypt\$4 or encod\$4) same (over\$1clock\$3))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:36
S29	42	((encrypt\$4 or encod\$4) same clock).ti.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:34
S28	22742	(encrypt\$4 or encod\$4) same clock	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:28
S26	1	encrypt\$ same (clock near scal\$)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:22
S27	2	("5128959" "5377264"). PN.	USPAT	OR	OFF	2004/07/07 14:19
S24	64	bus near (peripheral or external) same encryption and (peripherals or devices)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 14:05
S25	4	("4593384" "4747139" "5337357" "5757907"). PN.	USPAT	OR	OFF	2004/07/07 13:43
S23	14435	bus near (peripheral or external)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 11:54
S22	135	data near (encrypt\$3 or encipher\$ or cipher\$1 or encod\$3) same (peripherals or (external adj devices))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 09:38
S21	3430	data near (encrypt\$3 or encipher\$ or cipher\$1 or encod\$3) and (peripherals or (external adj devices))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 09:21
S20	45	external adj bus same (encrypt\$3 or encipher\$ or cipher\$1 or encod\$3) and peripherals	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 09:20
S19	170	external adj bus same (encrypt\$3 or encipher\$ or cipher\$1 or encod\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 09:11

/MTH/

S18	2060	external adj bus and (encrypt\$3 or encipher\$ or cipher\$1 or encod\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 09:11
S17	101	secure adj address\$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 08:38
S16	53	(data or address) adj bus adj (encrypt\$ encod\$)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 08:36
S15	315	bus adj (encrypt\$ encod\$)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/07 08:14
S14	31	(address adj (encod\$3 or encrypt\$3 or cipher\$3 or encipher\$3)) and external adj bus	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 15:35
S13	15	(address adj (encod\$3 or encrypt\$3 or cipher\$3 or encipher\$3)).ti.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 15:34
S12	1932	address adj (encod\$3 or encrypt\$3 or cipher\$3 or encipher\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 15:27
S11	25	713/193.ccls. and address adj (encod\$3 or encrypt\$3 or cipher\$3 or encipher\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 15:27
S3	79	smart adj card and external adj bus and (encod\$3 or encrypt\$3 or cipher\$3 or encipher\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 14:35
S10	50	("6260172" "6089460" "3798359" "5680453" "5838791" "6236729" "5812278" "6028982" "6172763" "4972481" "6038549" "6041314" "6105006" "6311167" "6378073" "6480294" "6493103" "4386234" "4429331" "4590365" "5513262" "6240214" "4369434" "6052576" "5253293" "5293423" "5844925" "5889861" "5987137" "6009170" "6167553" "3796830" "4058673" "4145569" "4396801" "4627074" "5196840" "5226081" "5245655" "5280529" "5440631" "5541993" "5546464" "5579392" "5602381" "5638444" "5715522" "5737413")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 14:34

		"5841861" "5901127").pn.				
S7	81	address adj (encrypt\$3 or encod\$3 or cipher\$3 or encipher\$3) same data adj (encrypt\$3 or encod\$3 or cipher\$3 or encipher\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 14:10
S9	4	("4431988" "5218622" "5436621" "5930826").PN.	USPAT	OR	OFF	2004/07/06 14:08
S8	13	("4525599" "4750142" "4795893" "5247564" "5341497" "5357572" "5514981" "5515540" "5537055" "5600818" "5737604" "5784625" "6161180").PN.	USPAT	OR	OFF	2004/07/06 13:53
S6	617	address adj (encrypt\$3 or encod\$3 or cipher\$3 or encipher\$3) and data adj (encrypt\$3 or encod\$3 or cipher\$3 or encipher\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 12:13
S5	79	(address and data) adj encryption	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 12:12
S4	14	("4278837" "4630201" "4764959" "4827113" "4956863" "5323323" "5764772" "5889622" "6182104" "6233339" "6363210" "6408075" "6414558" "6419159").PN.	USPAT	OR	OFF	2004/07/06 11:53
S2	84	smart adj card and external adj bus	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 11:19
S1	9901	smart adj card	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/07/06 11:19

5/ 5/ 09 9:52:53 AM

C:\ Documents and Settings\ mhenning\ My Documents\ EAST\ Workspaces\ 09739839.wsp

/MTH/